

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS PO Box 1450 Alexasofan, Virginia 22313-1450 www.repto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. | |
|------------------------|--------------------------------------|----------------------|----------------------------|---------------------|--|
| 10/551,052 | 07/13/2006 | Katsumi Mochitate | 053111 | 1427 | |
| | 7590 05/06/201 I, HATTORI, DANIEI | | EXAM | IINER | |
| 1250 CONNEC | CTICUT AVENUE, N | | | HANLEY, SUSAN MARIE | |
| SUITE 700 WASHINGTO | N, DC 20036 | | ART UNIT PAPER NUMBER 1653 | | |
| | | | | | |
| | | | | | |
| | | | NOTIFICATION DATE | DELIVERY MODE | |
| | | | 05/06/2011 | ELECTRONIC | |

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentmail@whda.com



UNITED STATES DEPARTMENT OF COMMERCE U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria. Virginia 22313-1450

| APPLICATION NO./ CONTROL NO. | FILING DATE | FIRST NAMED INVENTOR / PATENT IN REEXAMINATION | ATTORNEY DOCKET NO. |
|---------------------------------|--------------|--|---------------------|
| 10/551,052 | 13 July 2006 | MOCHITATE, KATSUMI | 053111 |

EXAMINER

WESTERMAN, HATTORI, DANIELS & ADRIAN, LLP 1250 CONNECTICUT AVENUE, NW SUITE 700 WASHINGTON, DC 20036

 SUSAN HANLEY

 ART UNIT
 PAPER

 1653
 20110503

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

The reply filed on 03/09/2011 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): The amendment for the specification is incorrect in many instances and is not entered. In several instances, the amendment directs the insertion of paragraphs into the substitute specification at page and/or line numbers that are incorrect. That is, the paragraph to be inserted does not match with the text of the indicated page and/or line number. For example, the amendment to the descriptions for Figures 15, 16 and 17 are specified in the incorrect page numbers. Applicant's representative is invited to contact the examiner with any questions. Sec 37 CFR 1.111. Since the above-mentioned reply appears to be bona fide, applicant is given ONE (1) MONTH or THIRITY (30) DAYS from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Attachment: Non-entered specification (13 pages)

Any inquiry concerning this communication or earlier communications from the examiner should be directed to SUSAN HANLEY whose telephone number is (571)272-2508. The examiner can normally be reached on M-F 9:00-530. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sue Liu can be reached on 571-272-5539. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications is available through Private PAIR only. For more information about the PAIR system, see thtp://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Susan Hanley/ Primary Examiner, Art Unit 1653